Applied Chemistry & Technology Summer Assignment

For help or for clarification on this material, email me (Mrs. Sharon) at ksharon@stfrancishs.org.

Summary of Summer Assignment:

- 1. Complete this packet. The problems are due the second day of class after summer. (You should attempt to have them done before school starts for the year; however I am allowing you an extra day just in case you need to ask me for help). (I have prepared short OPTIONAL lecture videos for each of these topics. The videos have been posted on Youtube and I will send the links to your St. Francis email address soon).
- 2. Memorize required the information in the table from the section Subatomic Particles.
- 3. Prepare for the test on this information upon our return to school.
- 4. Read & sign and have your parents read & sign an electronic copy of the "Safety Handout". (There will be a copy of this in the email I send you). This must be turned in to the Applied Chemistry dropbox by the end of the day on the first day of class!

Topics to Review / Study guide for Summer Test:

- Perform simple stoichiometry calculations (mole-mole, mass-mass, percent yield)
- Be able to create Lewis structures for simple molecules containing single, double, and/or triple bonds.
- Know the charges and relative masses of subatomic particles.

PROBLEMS (These will be turned in on the second day of class).

Stoichiometry Problems (mole-mole, mass-mass, percent yield)

- 1. Given the following equation: $2 \text{ NaOH} + \text{H}_2\text{SO}_4 \rightarrow 2 \text{ H}_2\text{O} + \text{Na}_2\text{SO}_4$ How many grams of sodium sulfate will be formed if you start with 20 grams of sodium hydroxide and you have an excess of sulfuric acid?
- 2. Given the following equation: $Pb(SO_4)_2 + 4 LiNO_3 \rightarrow Pb(NO_3)_4 + 2 Li_2SO_4$ How many grams of lithium nitrate will be needed to make 25 grams of lithium sulfate, assuming that you have an adequate amount of lead (IV) sulfate to do the reaction?
- 3. Given the following equation: $2 \text{ KClO}_3 \rightarrow 2 \text{ KCl} + 3 \text{ O}_2$ How many moles of O_2 can be produced by letting 12 moles of KClO₃ react?
- 4. Given the following equation: $2 \text{ K} + \text{Cl}_2 \rightarrow 2 \text{ KCl}$
 - How many grams of KCl are produced from 2.5 g of K and excess Cl₂?
- 5. Given the following equation: $Na_2O + H_2O \rightarrow 2 NaOH$
 - How many grams of Na₂O are required to produce 1.6 grams of NaOH?
- 6. Given the following equation: $Fe + S \rightarrow FeS$
 - What mass of iron is needed to react with 16 grams of sulfur?

(Final problems on next page)

- 7. Given the following equation: $2 \text{ NaClO}_3 \rightarrow 2 \text{ NaCl} + 3 \text{ O}_2$
 - A student heats 2.7 g of $NaClO_3$ in a test tube until it decomposes, producing 1.0 g of oxygen gas. What is the percent yield?
- 8. Given the following equation: $Cu + 2 \text{ AgNO}_3 \rightarrow Cu(NO_3)_2 + 2 \text{ Ag}$ 5.0 g of Cu react with excess silver nitrate and 15.3 g of silver are produced. What is the percent yield?
- 9. The average human requires 120.0 grams of glucose ($C_6H_{12}O_6$) per day. How many grams of CO_2 (in the photosynthesis reaction) are required for this amount of glucose? The photosynthetic reaction is: $6 CO_2 + 6 H_2O \rightarrow C_6H_{12}O_6 + 6 O_2$

Lewis Structures

Make Lewis structures for each of the following compounds.

- 10. PH₃
- 11. NF₃
- 12. CO₂
- 13. CS₂

- 14. O₃ (there are two correct possibilities; you just need to create one of them) 15. SO₃ (there are three correct possibilities; you just need to create one of them)
- 16. SO₂ (there are two correct possibilities; you just need to create one of them)
- 17. OCl₂
- 18. CF₄
- 19. SiCl₄
- 20. H₂S
- $21. SCl_2$
- 22. C_2H_6
- 23. C₃H₈
- 24. C₄H₁₀
- 25. C₂H₄
- 26. C₂H₂
- 27. C₃H₆ (this can be drawn two ways; either is correct)
- 28. HCN

MEMORIZE THIS INFORMATION

Subatomic Particles


Particle	Charge	Approximate
		Mass
Electron	-1	negligible*
Proton	+1	1 amu
Neutron	0	1 amu


^{*} small enough to ignore

Science Laboratory Safety Rules



- 1. Protective goggles are required to prevent splashing and spattering in your eyes. You will not be permitted in the laboratory without them.
- 2. You must notify the instructor when wearing contact lenses in the laboratory.
- 3. Some sort of laboratory apron or coat is required to protect you and your clothing.
- 4. Prepare a safe laboratory environment by ensuring all bags and backpacks are off the floor and chairs are pushed in.
- 5. No running, shouting, shoving, or fooling around is permitted in the lab.
- 6. Your apparel should be appropriate for laboratory work. Long hanging necklaces, bulky jewelry, and excessive and bulky clothing should not be worn. Feet should be <u>fully</u> covered.
- 7. Long hair must be secured away from your face and lab materials, especially chemicals and burners.
- 8. You should know the location of and how and when to use the fire extinguisher, eye wash, fire blanket, exits, shower, and gas shut off.
- 9. NEVER taste chemicals. Touching of chemicals should be avoided unless told otherwise by your teacher.
- 10. Dispose of all waste materials in designated waste containers.
- 11. Be VERY cautious when testing for odors. Fan the odors to your nose.
- 12. Never aim the opening of a test tube or flask at yourself or anyone else.
- 13. Use fume hoods whenever irritating fumes are involved. Adequate ventilation is important for safety.
- 14. Never leave anything unattended while it is being heated or reacting rapidly. Do not leave Bunsen burners burning or hot plates heating while not in use. Do not leave gas jets on while not in use. Do not use burners when they are not needed.
- 15. A clean lab is a safe lab. Return materials to the proper place and keep your work area clean at all times.





- 18. No food, drinks or chewing gum may be brought into the lab (unless authorized by the teacher).
- 19. You should know and understand the dangers and hazards of each experiment before you start the experiment. Read all instructions for a lab before you start work.
- 20. Follow all written and verbal instructions for each lab.
- 21. You should not mix chemicals together unless you have been instructed to do so by your teacher or the instructions of the experiment.
- 22. Hot items should be handled with gloves or tongs.
- 23. Flammable liquids should be used in small amounts.

- 24. When lighting a Bunsen burner, light the match first then turn on the gas.
- 25. Avoid using cracked or broken glassware as it can chip further or break and cause injury.
- 26. Dispose of broken glassware in the proper container. Do not put broken glassware into the trash can.
- 27. When cleaning glassware, turn on the water first, then place the glassware under the faucet.
- 28. When obtaining reagents that have a similar appearance, properly label glassware to avoid confusion, cross-contamination or unwanted reactions.

Science Class Safety Agreement

All students will be required to pass with a score of at least 85%, a laboratory safety test before being allowed to participate in lab activities.

Students will be removed from the science activity area by the teacher if:

(Print parent/guardian name)

- A. Their personal appearance or dress is such that they cause injury to themselves or to other students.
- B. They are behaving in such a manner that they can cause injury to themselves or to other students.
- C. They are not following the prescribed safety rules for the science activity area or the particular science activity being conducted.
- D. They are going beyond the limits of the science activity into areas that may lead to an unsafe situation.

child and feel that my child understands what they mean and the consequences for removal from class. I would like to inform the school that my child has the following physical or medical situations that could affect their learning.

Student signature ______

Parent/Guardian signature _____